











## Times-7 Product Catalogue





This catalogue summarises high level information of Times-7's UHF reader antenna products. For detailed product descriptions, please visit [www.times-7.com](http://www.times-7.com). Please refer to the last page for contact details to place an order.






Product Name	Dimensions / Part No.	Description
<b>A6031</b> <b>Circular Polarized Antenna</b> 	275x214x12(mm) 10.8x8.5x0.5(inches)  ETSI: 70804 FCC: 70810	<ul style="list-style-type: none"> <li>Ultra-low profile circular polarized flat panel antenna, suitable for both indoor and outdoor use with a read range up to 4m (13ft).</li> <li>Gain: 4 dBi Circular</li> </ul>
<b>A6032</b> <b>Circular Polarized Antenna</b> 	391x275x12(mm) 15.4x10.8x0.5(inches)  ETSI: 70802 FCC: 70808	<ul style="list-style-type: none"> <li>Ultra-low profile circular polarized flat panel antenna, suitable for both indoor and outdoor use with a read range up to 6m (19.5ft).</li> <li>Gain: 7 dBi Circular</li> </ul>
<b>A6034</b> <b>Circular Polarized Antenna</b> 	747x314x12(mm) 29.4x12.4x0.5(inches)  ETSI: 70803 FCC: 70809	<ul style="list-style-type: none"> <li>Ultra-low profile circular polarized flat panel antenna, suitable for both indoor and outdoor use with a read range up to 9m (29.5ft)</li> <li>Gain: 9 dBi Circular</li> </ul>

Product Name	Dimensions / Part No.	Description
<b>A4030C (*NEW*)</b> <b>Circular Polarized Antenna</b> 	280x280x12(mm) 11x11x0.5(inches)  ETSI: 71269 FCC: 71270	<ul style="list-style-type: none"> <li>• Ultra-low profile circular polarized flat panel antenna, suitable for both indoor and outdoor use with a read range up to 6m (19.5ft).</li> <li>• Gain: 6.5 dBi Circular</li> <li>• Rear connector</li> </ul>
<b>A4030L (*NEW*)</b> <b>Linear Polarized Antenna</b> 	280x280x12(mm) 11x11x0.5(inches)  ETSI: 71271 FCC: 71272	<ul style="list-style-type: none"> <li>• Ultra-low profile circular polarized flat panel antenna, suitable for both indoor and outdoor use with a read range up to 9m (29ft)</li> <li>• Gain: 7 dBi Linear</li> <li>• Rear connector</li> </ul>
<b>A6034S</b> <b>Circular Polarized Antenna</b> 	394x394x12(mm) 15.5x15.5x0.5(inches)  ETSI: 71002 FCC: 71003	<ul style="list-style-type: none"> <li>• Ultra-low profile circular polarized flat panel antenna, suitable for both indoor and outdoor use with a read range up to 9m (29.5ft)</li> <li>• Gain: 8 dBi Circular</li> </ul>

Product Name	Dimensions / Part No.	Description
<b>A1001</b> <b>Proximity/Near Field</b> 	82x82x8(mm) 3.2x3.2x0.3(inches)  FCC and ETSI: 71203	<ul style="list-style-type: none"> <li>• Smallest commercially available wideband near field UHF antenna.</li> <li>• Read distance is from 0 to 10cm.</li> </ul>
<b>A7040</b> <b>Shelf Antenna LP</b> 	400x250x8(mm) 15.7x9.8x0.3(inches)  ETSI: 71201 FCC: 71204	<ul style="list-style-type: none"> <li>• Ultra-low profile linear polarized flat panel antenna.</li> <li>• Its total thickness is just 8 mm and is suitable for shelving and cabinets.</li> <li>• Gain: 7.5 dBi Linear</li> </ul>
<b>A7060 (*NEW*)</b> <b>Shelf Antenna LP</b> 	600x250x8(mm) 23.5x9.8x0.3(inches)  ETSI: 71303 FCC: 71304	<ul style="list-style-type: none"> <li>• Ultra-low profile linear polarized flat panel antenna.</li> <li>• Its total thickness is just 8 mm and is suitable for shelving and cabinets.</li> <li>• Gain: 9 dBi Linear</li> </ul>
<b>A7075</b> <b>Shelf Antenna LP</b> 	750x250x8(mm) 29.5x9.8x0.3(inches)  ETSI: 71202 FCC: 71205	<ul style="list-style-type: none"> <li>• Ultra-low profile linear polarized flat panel antenna.</li> <li>• Its total thickness is just 8 mm and is suitable for shelving and cabinets.</li> <li>• Gain: 10 dBi Linear</li> </ul>

Product Name	Dimensions / Part No.	Description
<b>A5530</b> <b>Ground Mat</b> 	1220x600x12(mm) 48x24x0.5(inches)  ETSI: 70887 FCC: 70890	<ul style="list-style-type: none"> <li>• Ultra-low profile and very robust ground mat antenna suitable for movements of people, products or vehicles.</li> <li>• Polyurethane housing</li> <li>• Gain: 10 dBi Linear</li> </ul>
<b>A5531</b> <b>Ground Antenna</b> 	1200x195x10(mm) 48x7.7x0.4(inches)  ETSI: 71103 FCC: 71100	<ul style="list-style-type: none"> <li>• Ultra-low profile linear polarized antenna with rugged, durable design suitable for industrial applications.</li> <li>• Kydex radome</li> <li>• Gain: 10 dBi Linear</li> </ul>
<b>A6590C (*NEW*)</b> <b>Ground Antenna</b> 	910x300x8(mm) 36x12x0.3(inches)  ETSI: 71324 FCC: 71325	<ul style="list-style-type: none"> <li>• Ultra-low profile circularly polarized antenna with rugged, durable design suitable for people tracking applications.</li> <li>• Kydex radome</li> <li>• Gain: 7 dBi Circular</li> </ul>
<b>A6590L (*NEW)</b> <b>Ground Antenna</b> 	910x300x8(mm) 36x12x0.3(inches)  ETSI: 71234 FCC: 71211	<ul style="list-style-type: none"> <li>• Ultra-low profile linear polarized antenna with rugged, durable design suitable for people tracking applications.</li> <li>• Kydex radome</li> <li>• Gain: 10 dBi Linear</li> </ul>

Product Name	Dimensions / Part No.	Description
<b>A6011</b> <b>Underbelt Antenna</b> 	1200x600x12(mm) 48x24x0.5(inches)  ETSI: 70730 FCC: 70731	<ul style="list-style-type: none"> <li>• Circular-polarised flat panel antenna array encased in an ultra-low-profile UHMWPE (Ultra-High Molecular Weight Polyethylene) radome.</li> <li>• It is especially suited to conveyor-belt-based UHF RFID applications, such as airport baggage handling.</li> <li>• Gain: 11 dBi Circular</li> </ul>
<b>A6015</b> <b>Self Check-In Antenna</b> 	380x549x12(mm) 15x21.6x0.5(inches)  ETSI: 70994 FCC: 70933	<ul style="list-style-type: none"> <li>• Antenna portal for conveyor-belt based UHF RFID applications is designed to provide industry leading assignment rates and be easily installed into existing infrastructure.</li> <li>• Gain: 4 dBi Circular</li> </ul>
<b>A6020</b> <b>Conveyor Portal</b> 	ETSI: 70820 FCC: 70913	<ul style="list-style-type: none"> <li>• Antenna portal for conveyor-belt based UHF RFID applications is designed to provide industry leading assignment rates and be easily installed into existing infrastructure.</li> <li>• Gain: 11dBic all antennas</li> </ul>

## Ordering Information

### APAC

Phone:+64 27 444 0304

### Americas

Phone: +1 (858) 225 2214

### EMEA

Phone: +31 411 622 949

### Times-7 Corporate Office

59 Gracefield Road,  
Lower Hutt, 5010  
New Zealand  
+64 4 569 1500

To place an order or for any questions please contact: [sales@times-7.com](mailto:sales@times-7.com)